









Model No: _____ Quantity: _____

FEATURES:

Trolleys are completely manufactured from stainless steel and equipped with caster wheels, 2 with breaks, tubes are 30x30mm welded corners.

High-version trolleys contain cross beams for extra stability. Pans angles are with initial bends at both ends as stoppers. Angles can hold pans with different depths (Detailed in schedule below).


Double-rack version is designed to easily store pans side by side.

CONSTRUCTION:

Fully welded structure and polished for a monolithic appearance.

MATERIALS:

PARTS	S-LINE (STANDARD)	
TOP PLATE	S/S 304 1.5mm THICKNESS	
BODY CONSTRUCTION	S/S 30X30MM SQ. TUBES	
ANGLES	S/S 304 1.5mm THICKNESS	
FOOTING	5" CASTER WHEELS (HEAVY DUTY)	
EQUIPMENT BUILT		
SURFACE	HAIRLINE FINISH (304)	
ASSEMBLY/SHIPPING	ASSEMBLED	



www.raqtan.com

DIMENSIONS:

NO. OF INSERT RAILS	LENGTH	WIDTH	HEIGHT	CODE
9	408	533	900	RT405390G9
18	405	530	1700	RT405317G18
36	780	530	1700	RT785317G36

POSSIBLE PANS SIZES:

PAN SIZE	INSERT ORIENTATION	
GN 1/1	LENGTHWAYS	
GN 1/2	WIDTHWAYS	
GN 2/8	B WIDTHWAYS	
GN 2/3	LENGTHWAYS	
GN 1/3	WIDTHWAYS	


ACCESSORIES AND OPTIONS (+):





SWIVEL CASTERS



DIMENSION AND SPECIFICATIONS









RT785314G36

RT405314G18






RT405385G9











FEATURES:

Trolleys are completely manufactured from stainless steel and equipped with caster wheels, 2 with breaks, tubes are 30x30mm welded corners.

High-version trolleys contain cross beams for extra stability. Trays angles are with initial bends at both ends as stoppers. Angles can hold pans with different depths (Detailed in schedule below).


Double-rack version is designed to easily store trays side by side.

CONSTRUCTION:

Fully welded structure and polished for a monolithic appearance.

MATERIALS:

PARTS	S-LINE (STANDARD)	
TOP PLATE	S/S 304 1.5mm THICKNESS	
BODY CONSTRUCTION	S/S 30X30MM SQ. TUBES	
ANGLES	S/S 304 1.5mm THICKNESS	
FOOTING	5" CASTER WHEELS (HEAVY DUTY)	
EQUIPMENT BUILT		
SURFACE	HAIRLINE FINISH (304)	
ASSEMBLY/SHIPPING	ASSEMBLED	



www.raqtan.com

DIMENSIONS:

NO. OF IN	SERT RAILS	LENGTH	WIDTH	HEIGHT	CODE
	9	483	653	900	RT486590T9
1	8	480	650	1700	RT486517T18
3	66	930	650	1700	RT936517T36

POSSIBLE TRAY SIZES:

TRAY SIZE	INSERT ORIENTATION	
ANY TRAY WITH WIDTH = 450MM	LENGTHWAYS	
ANY TRAY WITH LENGTH = 450MM	WIDTHWAYS	

ACCESSORIES AND OPTIONS (+):



SWIVEL CASTERS



DIMENSION AND SPECIFICATIONS

