



SOT1707690(BS40)SR

SIT177690(BS40)B2R

Model No: _____
Quantity: _____

FEATURES:

Sink tables are built with heavy gauge 16 (1.5mm) stainless steel, fully welded joints with radii on all corners and polished for a monolithic appearance.

Legs are equipped with gussets and front flange bullet footing for stability and easy leveling. Placement of direct leg supports ensures stability of the column load requirement for the entire sink unit.

CONSTRUCTION:

Outlet Table:

Raise and Rolled top plate, polished joints for a monolithic appearance. Optional cross bracing & Under shelf is designed adjustable, fitted to legs with stainless steel couplings and set screws.

Inlet Table:

Raise and Rolled top plate and the sink bowls are *Tig - welded*, polished joints for a monolithic appearance. Horizontal cross bracing is designed adjustable, fitted to legs with stainless steel couplings and set screws. This allows for more flexibility to accommodate different models of grease traps underneath and other products. Front legs for 3-compartment sink are equipped with flange bullet footing for stability. To ensure proper rigidity, Raqtan's sinks are never pressed, they are fully welded to exact specifications and standards.

MATERIALS:

PARTS	S-LINE (STANDARD)
TOP	S/S 304 1.5MM THICKNESS
CROSS BRACE	25MMØ S/S TUBE
STIFFENERS	S/S 304 1.2MM THICKNESS
BULLET FEET	ADJUSTABLE
LEGS(ROUND)	38MMØ S/S TUBES-S/S GUSSET
EQUIPMENT BUILT	
SURFACE	HAIRLINE FINISH (304)
ASSEMBLY/SHIPPING	KCD (KNOCKDOWN)

DIMENSIONS:


OUTLET TABLE	LENGTH	760(SERIES)	WEIGHT
	700	SOT1707690(BS40)XX	27.89 KG
	1200	SOT127690(BS40)XX	38.30 KG
	1500	SOT157690(BS40)XX	42.85 KG

IN LET TABLE	LENGTH	760(SERIES)	WEIGHT
	1200	SIT127690(BS40)XXXX	47.97 KG
	1650	SIT167690(BS40)XXXX	50.78 KG
	1700	SIT177690(BS40)XXXX	54.59 KG
	2000	SIT207690(BS40)XXXX	58.57 KG
	2200	SIT227690(BS40)XXXX	62.94 KG

SINK BOWL STANDARD SIZES:


- 500 X 500 X 300
- 500 X 500 X 250
- 500 X 400 X 300

FAUCET HOLES ON 8" CENTERS



SINKS ARE WELDED ON TOP PLATE WITH A GAP OF 50MM

S T 76 90 (BS40)



MINIMUM AND MAXIMUM INLET TABLE LENGTH:

NO. OF COMPARTMENTS	BOWL SINK SIZE (LxW)	MIN. LENGTH (MM)	MAX. LENGTH (MM)
SINGLE COMPARTMENT	500X500	1030	1500
	400X500	785	1500
TWO COMPARTMENTS	500X500	1580	1800
	400X500	1235	1800
THREE COMPARTMENTS	500X500	2130	2300
	400X500	1685	2300

ACCESSORIES AND OPTIONS(✦) :




P-TRAP & TAIL PILE



SINK STRAINER



HOT & COLD FLEXIBLE HOSES



✦ Garbage Chute




ADJUSTABLE BULLET FEET



✦ PRE-RINSE FAUCET




FLANGED ADJUSTABLE BULLET FEET WITH MOUNTING HOLES FOR 3 COMPARTMENT SINKS



✦ ADJUSTABLE UNDER SHELF



✦ S/S PERFORATED SINK



✦ SINK COVERS WITH HOLDERS



TYPICAL SECTIONS:

