

MARINE EDGE SINK

STANDARD SERIES – ONE, TWO & THREE COMPARTMENTS

Model No: _____
Quantity: _____



FEATURES:

Sink tables are built of heavy gauge 16(1.5mm) stainless steel, fully welded joints with radius on all corners and polished as one-piece material. Legs are equipped with gussets and adjustable bullet feet for easy leveling. Placement of direct leg supports ensures stability of the column load requirement for the entire sink unit.

CONSTRUCTION:

Top and sink bowls are Tig - welded, polished joints for a monolithic appearance. Horizontal cross bracing is designed adjustable, fitted to legs with stainless steel couplings and set screws. This allows for more flexibility to accommodate different models of grease traps underneath and other products in particular areas. To ensure proper rigidity, Raqtan's sinks are never pressed, they are fully welded to exact specifications and standards.

MATERIALS:

PARTS	S-LINE (STANDARD)
TOP	S/S 304 1.5MM THICKNESS
UNDER SHELF	S/S 304 1.2MM THICKNESS
CROSS BRACE	S/S TUBE 25MMØ
STIFFENERS	S/S 304 1.2MM THICKNESS
BULLET FEET	ADJUSTABLE
LEGS (ROUND)	S/S TUBES 41MMØ S/S GUSSET S/S COUPLING
EQUIPMENT BUILT	
SURFACE	HAIRLINE FINISH (304)
ASSEMBLY/SHIPPING	KCD (KNOCKDOWN)

DIMENSIONS:

SINGLE COMPARTMENT	LENGTH	700(SERIES)	800(SERIES)	DELIVERY – WT (700-800)	
	*900	SMS1907090(BS40)XXX	SMS1908090(BS40)XXX	34.7 KG	39.6 KG
	1200	SMS1127090(BS40)XXX	SMS1128090(BS40)XXX	38.0 KG	42.9 KG
	1500	SMS1157090(BS40)XXX	SMS1158090(BS40)XXX	41.3 KG	46.2 KG
TWO COMPARTMENT	LENGTH	700(SERIES)	800(SERIES)	DELIVERY – WT (700-800)	
	*1500	SMS2157090(BS40)XXX	SMS2158090(BS40)XXX	50.1 KG	52.0 KG
	1800	SMS2187090(BS40)XXX	SMS2188090(BS40)XXX	56.8 KG	60.1 KG
	2100	SMS2217090(BS40)XXX	SMS2218090(BS40)XXX	63.5 KG	66.8 KG
THREE COMPARTMENT	LENGTH	700(SERIES)	800(SERIES)	DELIVERY – WT (700-800)	
	*1800	SMS3187090(BS40)XXX	SMS3188090(BS40)XXX	67.3 KG	69.6 KG
	2100	SMS3217090(BS40)XXX	SMS3218090(BS40)XXX	70.6 KG	72.9 KG
	2400	SMS3247090(BS40)XXX	SMS3248090(BS40)XXX	74.0 KG	76.3 KG

SINK BOWL STANDARD SIZES:

- 500 X 500 X 300
- 500 X 500 X 250
- 500 X 400 X 300
- 400 X 500 X 300

FAUCET HOLES ON 8" CENTERS

*NO DRAIN BOARDS

SMS _____ 90 (BS40) _____

<p>NUMBER OF SINK: 1 = ONE-COMPARTMENT SINK 2 = TWO-COMPARTMENT SINK 3 = THREE-COMPARTMENT SINK</p>	<p>OPTIONS: C = SINK COVER P = PERFORATED SINK S = UNDER SHELF</p>
<p>LENGTH</p>	<p>DRAIN BOARD LOCATION: L = LEFT DRAIN BOARD R = RIGHT DRAIN BOARD W = WITHOUT DRAIN BOARD</p>
<p>WIDTH</p>	
<p>HEIGHT</p>	
<p>BACKSPLASH TYPE: BS40 = 40 THICKNESS BACKSPLASH 45°</p>	

MARINE EDGE SINK

STANDARD SERIES – ONE, TWO & THREE COMPARTMENTS

MINIMUM AND MAXIMUM SINK TABLE LENGTH:

NO. OF COMPARTMENTS	BOWL SINK SIZE (LxW)	MIN. LENGTH (MM)	MAX. LENGTH (MM)
SINGLE COMPARTMENT	500X500	630	1500
	400X500	530	1500
TWO COMPARTMENTS	500X500	1180	1800
	400X500	980	1800
THREE COMPARTMENTS	500X500	1730	2400
	400X500	1430	2400

ACCESSORIES AND OPTIONS(✦) :



P-TRAP & TAIL PILE



SINK STRAINER



HOT & COLD FLEXIBLE HOSES



HORIZONTAL GOOSE NECK



ADJUSTABLE BULLET FEET



✦ PRE-RINSE FAUCET




FLANGED ADJUSTABLE BULLET FEET WITH MOUNTING HOLES FOR 3 COMPARTMENT SINKS



✦ ADJUSTABLE UNDER SHELF



✦ S/S PERFORATED SINK




✦ SINK COVERS WITH HOLDERS




NOTE: FAUCETS INSTALLATION POSITIONS CAN BE DECK OR WALL MOUNTED


TYPICAL DRAIN BOARD LOCATIONS/SECTIONS:



1 COMPARTMENT




1 COMPARTMENT - L/R DRAIN BOARD




2 COMPARTMENTS - L/R DRAIN BOARD

INITIAL BEND




3 COMPARTMENTS - L/R DRAIN BOARD


INITIAL BEND




3 COMPARTMENTS




MARINE EDGE



STANDARD BACKSPLASH



SINGLE & TWO COMPARTMENT SINK SECTION



3 COMPARTMENT SINK SECTION