

TOP MOUNTED SHELVES WITH STRIP HEATER WITH STRIP HEATER

STANDARD SERIES

SOSH15035302SG



SOSH16035301SGL

Model No: _____ Quantity:

FEATURES:

Mounted shelves are furnished with modern square nosing. There are 2 types of installation, top mounted with sleeves and top mounted with angles. These types are NSF certified.

CONSTRUCTION:

square nose, Fully welded, front edges ground and polished for a monolithic appearance.

MATERIALS:

SCREW

SURFACE

ASSEMBLY/

SHIPPING

30

SOSH_


DIMENSIONS:

	PARTS	S-LINE (STANDARD)	TYP	E	350 S	ERIES	400 SERIES		
	SHELVES	S/S 304 1.2MM THICKNESS	TIFE		1 TIER	2 TIER	1 TIER	2 TIER	
	UPRIGHTS		TOP	SLEEVES	SOSHXX35301SB	SOSHXX35302SB	SOSHXX40301SB	SOSHXX40302SB	
		SS AISI 304 1.5MM 41Ø RD. TUBE	MOUNTED	ANGLES	SOSHXX35301AB	SOSHXX35302AB	SOSHXX40301AB	SOSHXX40302AB	
	ANGLE	S/S 304 1.0MM THICKNESS							

TOP MOUNTED SERIES.

3/3 3	04 1.0MM THICKNESS	TOP MOUNTED SERIES:							
	MM ANCHOR BOLT	LENGTH	350 SERIES	400 SERIES					
M6 PA	AN CROSS HEAD BOLT	1000	SOS1003530XXB	SOS1004030XXB					
EQUIPM	ENT BUILT	1100	SOS1103530XXB	SOS1104030XXB					
ŀ	HAIRLINE FINISH (304)	1200	SOS1203530XXB	SOS1204030XXB					
CKD	(Complete Knock Down)	1300	SOS1303530XXB	SOS1304030XXB					
		1400	SOS1403530XXB	SOS1404030XXB					
	OPTIONS:	1500	SOS1503530XXB	SOS1504030XXB					
	G = Strip Heaters GL = strip Heaters	*1600	SOS1603530XXB	SOS1604030XXB					
	with Light	*1700	SOS1703530XXB	SOS1704030XXB					
	OPTIONS: S = SLEEVES A = ANGLE	*1800	SOS1803530XXB	SOS1804030XXB					
l	-	*1900	SOS1903530XXB	SOS1904030XXB					
	NUMBER OF TIERS: 1 = SINGLE TIER 2 = TWO TIERS	*2000	SOS2003530XXB	SOS2004030XXB					
		*2100 SOS2103530XXB		SOS2104030XXB					
	HEIGHT (STANDARD)	L							

*UNITS EQUIPPED WITH 3 BRACKETS & 2 Heater



www.raqtan.com

WIDTH LENGTH

SHELF TYPE: SOSH = TOP MOUNTED SHELVES WITH HEATER


GRA



STAINLESS STEEL TOP MOUNTED SHELVES ANGLE MOUNTED

HEATER Model	MANUFACTURER	Deception	VOLTS	WATTS	AMPS	Number of Heater	Length of Shelves
GRA-24"		Glo-Ray Infrared Food Warmer	220/240	350	1.6/1.45	1	1000
GKA-24						2	1600/1700/1800
GRA-36"		Glo-Ray Infrared Food Warmer	000/040	575	2.6/2.4	1	1100/1200 & *1900-2100
GRA-36			220/240			2	1900/2000/2100
GRA-48"		Glo-Ray Infrared Food Warmer	220/240	800	3.6/3.3	1	1300/1400/1500
GRAL-24"		Glo-Ray Infrared Food Warmer WITH LIGHT	220/240	451/470	2.05/1.9	1	1000
GRAL-24						2	1600/1700/1800
CDAL 2/"			220/240	726/755	3.3/3.14	1	1100/1200
GRAL-36"		Glo-Ray Infrared Food Warmer WITH LIGHT				2	1900/2000/2100
GRAL-48"		Glo-Ray Infrared Food Warmer WITH LIGHT	220/240	1002/1040	4.55/4.3	1	1300/1400/1500

***UNITS EQUIPPED 2 Heater**



www.raqtan.com



STAINLESS STEEL TOP MOUNTED SHELVES WITH CERMIC HEATER

STANDARD SERIES

Model No: _____ Quantity:



DIMENSIONS:

SOSH15040552AU

FEATURES:

Mounted shelves are furnished with modern square nosing. There are 2 types of installation, top mounted with sleeves and top mounted with angles. These types are NSF certified.

CONSTRUCTION:

SOSH15050551AU

square nose, Fully welded, front edges ground and polished for a monolithic appearance.

MATERIALS:

						DIMENSIO						
F	PARTS		S-LINE (STANDARD)			TYPE		400 SERIES		500 SERIES		
Sł	HELVES	elves S/S 304 1.2mm Thickness		ITE		1 TIER	2 TIER	1 TIER	2 TIER			
\vdash						TOP MOUNTED	SLEEVES	SOSHXX40551SB	SOSHXX40552SB	SOSHXX50551SB	SOSHXX50552SB	
		TS	SS AISI 30		04 1.5MM 41Ø RD. TUBE		ANGLES	SOSHXX40551AB	SOSHXX40552AB	SOSHXX50551AB	SOSHXX50552AB	
		04 1.0mm THICKNESS	TOP MOU	TOP MOUNTED SERIES:								
SCREW		10ø mm anchor bolt m6 pan cross head bolt			LENGTH		400 SERIES		500 SERIES			
-						1000		SOS1004	SOS1004055XXB		5055XXB	
			EQUIPMENT BUILT			1100		SOS1104055XXB		SOS1105	5055XXB	
	SURFACE HAIRLINE FINISH (3		HAIRLINE FINISH (304)	1200	0	SOS1204055XXB		SOS1205055XXB				
	ASSEMBLY/ SHIPPING CKD (CKD ((Complete Knock Down)	1300		SOS1304055XXB		SOS1305055XXB		
sosi	OSH55				1400		SOS1404055XXB		SOS1405055XXB			
					OPTIONS: U = CERAMIC Heaters	1500		SOS1504055XXB		SOS1505055XXB		
						*1600		SOS1604055XXB		SOS1605055XXB		
					Ĺ	OPTIONS: S = SLEEVES	*170	10	SOS1704	O55XXB	SOS1705	5055XXB
						S = SLEEVES A = ANGLE	*180	10	SOS1804	055XXB	SOS1805	5055XXB
				1	NUMBER OF TIERS: 1 = SINGLE TIER	*190	10	SOS1904055XXB		SOS1905055XXB		
				ļ	2 = TWO TIERS	*200	10	SOS2004055XXB		SOS2005055XXB		
			HEIGHT (STANDARD)	*2100		SOS2104055XXB		SOS2105055XXB				
						*UNITS EQUIPPED WITH 3 BRACKETS & 2 Heater						
	LENGTH						/					
							/	````				



www.raqtan.com

SHELF TYPE: SOSH = TOP MOUNTED SHELVES WITH HEATER

UGAL



STAINLESS STEEL TOP MOUNTED SHELVES WITH CERMIC HEATER STANDARD SERIES **STANDARD SERIES**

HEATER Model	MANUFACTURER	Deception	VOLTS	WATTS	AMPS	Number of Heater	Length of Shelves
	Hatco		220/240	856/870	3.89/3.62	1	1000
UGAHL-24"		Aluminum ceramic STRIP HEATER WITH LIGHTS				2	1600/1700/1800
			220/240	1410/1480	6.49/6.16	1	1100/1200
UGAHL-36"		Aluminum ceramic STRIP HEATER WITH LIGHTS				2	1900/2000/2100
UGAHL-48"		Aluminum ceramic STRIP HEATER WITH LIGHTS	220/240	2090/2190	9.5/9.12	1	1300/1400/1500

